

```
trackdll.cpp (148) : MESSAGE: 16356: Mon Jan 12 08:16:23
LVL_SEVERE_ERROR--MainFrame must be already created by now as this dll is
demand loaded
qbwindll.c (115) : CHECKPOINT: 16356: Mon Jan 12 08:16:23
CQBWinApp::InitInstance -- Initializing QBWinInstance Handle
qbwindll.c (146) : CHECKPOINT: 16356: Mon Jan 12 08:16:23
CQBWinApp::InitInstance completed
qbw.c (2154) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 QBWMain: Entered
qbw.c (2159) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 QBWMain:
AcquireLock() -ok
qbw.c (2173) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 QBWMain: After
FileRedirectInit()
qbw.c (2209) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 QBWMain: Before
CreateMutex- Global\Intuit, Inc. QuickBooks.
qbw.c (2211) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 QBWMain: After
CreateMutex- Global\Intuit, Inc. QuickBooks.
qbw.c (2238) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 QBWMain: After
CreateMutex-
qbw.c (2248) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 QBWMain: After
FindWindow - MauiFrame
qbw.c (2258) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 QBWMain: before
CheckFlavor
licenseutility.cpp (1835) : CHECKPOINT: 16356: Mon Jan 12 08:16:23
Initializing QBLicense Adapter for version 34 and flavor belwholesale,
which will initialize .NET EC if in Handshake Mode
licenseutility.cpp (1835) : CHECKPOINT: 16356: Mon Jan 12 08:16:23
Initializing QBLicense Adapter for version 34 and flavor belwholesale,
which will initialize .NET EC if in Handshake Mode
qbw.c (2260) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 QBWMain: after
CheckFlavor
qbw.c (2291) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 QBWMain: After -
MIData.IsMyInstanceRestricted
qbw.c (2373) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 QBWMain: before -
Test for adequate memory the first time through
qbw.c (2408) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 QBWMain: Before
test to Make sure that we're on a VGA. (only for first instance)
qbw.c (2419) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 QBWMain: before
SwitchToQBWDir
qbw.c (2421) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 QBWMain: after
SwitchToQBWDir
qbw.c (2522) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 QBWMain: Before
AfxWinMain
qbw.c (318) : CHECKPOINT: 16356: Mon Jan 12 08:16:23
CQuickBooksApp::InitInstance Initializing Quickbooks (AfxOLE)
LEDXMLReader.cpp (157) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 LED:
LEDConfigFile was either not found or is corrupted
qbw.c (322) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 Operations Started
qbw.c (545) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 Multiple Instance -
Attempting to opening file ><
qbw.c (764) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 Multiple Instance -
Opening file(done) ><
qbw.c (929) : CHECKPOINT: 16356: Mon Jan 12 08:16:23 Calling MauiMain
for further initialization
```

TLSMigration.cpp (373) : CHECKPOINT: 16356: Mon Jan 12 08:16:23
ValidateTLS12Support - Inside ValidateTLS12Support function
TLSMigration.cpp (376) : CHECKPOINT: 16356: Mon Jan 12 08:16:23
ValidateTLS12Support : Executing Hard Coded TLS 1.2 support.
qbbrowse.cpp (5121) : CHECKPOINT: 16356: Mon Jan 12 08:16:23
GetIEVersion IEE Explorer version = "HKLM\SOFTWARE\Microsoft\Internet Explorer\svcVersion" , returned 11.3636.19041.0
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:16:24
IsFeatureEnabledInIni: Value read from ini file from DTMStandAloneTool ::
IsEnabled is -1
mainfrm.cpp (898) : CHECKPOINT: 16356: Mon Jan 12 08:16:24
CMainFrame::AddDomainAndIconBar
mainfrm.cpp (1189) : CHECKPOINT: 16356: Mon Jan 12 08:16:24 Quickstart -
reached [1]
performancemeasure.cpp (1055) : CHECKPOINT: 16356: Mon Jan 12 08:16:25
LARGEADDRESSAWARE is on!; # of processors:8
pref.c (21405) : CHECKPOINT: 16356: Mon Jan 12 08:16:25
INV_ENHANCEMENTS::Entering
PrefsTag::IsInvEnhancementsFeatureSupportedLicense
pref.c (21431) : CHECKPOINT: 16356: Mon Jan 12 08:16:25
INV_ENHANCEMENTS::Exiting
PrefsTag::IsInvEnhancementsFeatureSupportedLicense Feature Enabled TRUE
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:16:25
IsFeatureEnabledInIni: Value read from ini file from DUP_SALES_RECEIPT ::
Enabled is -1
logger.cpp (241) : CHECKPOINT: 16356: Mon Jan 12 08:16:26 Timer
Initialized for tracking
IPDFactCDS.cpp (52) : CHECKPOINT: 16356: Mon Jan 12 08:16:26
IPDFactCDS::OnNotify with CNotifyTracking called
activator.cpp (285) : CHECKPOINT: 16356: Mon Jan 12 08:16:26 Tracking
Optin Status = 4
activator.cpp (290) : CHECKPOINT: 16356: Mon Jan 12 08:16:26 Adding
Tracking Menu Item for OPTED_IN
main2.c (6590) : CHECKPOINT: 16356: Mon Jan 12 08:16:26 FeaturesBridge
dll is loaded
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:16:26
IsFeatureEnabledInIni: Value read from ini file from DTM ::
DisabledDTMAutomation is -1
TLSMigration.cpp (508) : CHECKPOINT: 16356: Mon Jan 12 08:16:26
SetComplianceAlertState : Checking TLS QBProActive alert state.
load.c (14752) : CHECKPOINT: 16356: Mon Jan 12 08:16:26 Max users was
set from SKU publisher and the value is = 100
licenseutility.cpp (9709) : CHECKPOINT: 16356: Mon Jan 12 08:16:26
Payment Bundle for FSP status: Enabled
main2.c (1957) : CHECKPOINT: 16356: Mon Jan 12 08:16:26 MauiMain:
Posting Hashed License to Splunk Log at the startup
patch.cpp (1462) : CHECKPOINT: 16356: Mon Jan 12 08:16:26 MajorUpgrade:
Checking for feature enable.
patch.cpp (400) : CHECKPOINT: 16356: Mon Jan 12 08:16:26 Easy Upgrade
Kill Switch, As there is no major version of QB for upgrade
deliverysystemchannelactivator.cpp (261) : CHECKPOINT: 16356: Mon Jan 12
08:16:26 Entering ToggleEnterpriseUpgradeChannels
deliverysystemchannelactivator.cpp (209) : CHECKPOINT: 16356: Mon Jan 12
08:16:26 Entering InternalToggleEnterpriseUpgradeChannels

deliverysystemchannelactivator.cpp (215) : CHECKPOINT: 16356: Mon Jan 12 08:16:26 This is an Enterprise license with active FSP subscription. Fpatch channel would be enabled!

deliverysystemchannelactivator.cpp (235) : CHECKPOINT: 16356: Mon Jan 12 08:16:26 Exiting InternalToggleEnterpriseUpgradeChannels

deliverysystemchannelactivator.cpp (268) : CHECKPOINT: 16356: Mon Jan 12 08:16:26 Exiting ToggleEnterpriseUpgradeChannels

filepath.cpp (148) : MESSAGE: 16356: Mon Jan 12 08:16:27 LVL_ERROR--Got unexpected error 5 in call to NetShareGetInfo for path \\warehouse\Quickbooks\Filter Factory 2017\Filter Factory.QBW

idbfilemgr.cpp (603) : CHECKPOINT: 16356: Mon Jan 12 08:16:29 MetaData connection string :
CON=MetaDataDump\192.168.254.10mta;*****;*****;DBF=D:\Quickbooks\Filter Factory 2017\Filter Factory.QBW;CommLinks="tcpip(IP=192.168.254.20;TO=7;port=52588)";ServerName=QB_WAREHOUSE_34;APP=192.168.254.10mta;DBN=ccf9aa731b0a4872bf7190c25ebe7199

qbw.c (936) : CHECKPOINT: 16356: Mon Jan 12 08:16:30 MauiMain finished successfully

qbw.c (1862) : CHECKPOINT: 16356: Mon Jan 12 08:16:30 Initializing Add-Ins

qbw.c (960) : CHECKPOINT: 16356: Mon Jan 12 08:16:30 Initializing COM-dependent components

qbw.c (1021) : CHECKPOINT: 16356: Mon Jan 12 08:16:30 CQuickBooksApp::InitInstance exiting

qbw.c (1715) : CHECKPOINT: 16356: Mon Jan 12 08:16:30 QuickBooksApp::Run

qbbrowse.cpp (5121) : CHECKPOINT: 16356: Mon Jan 12 08:16:31 GetIEVersion IEE Explorer version = "HKLM\SOFTWARE\Microsoft\Internet Explorer\svcVersion" , returned 11.3636.19041.0

load.c (4074) : CHECKPOINT: 16356: Mon Jan 12 08:16:31 InitSystem

load.c (17811) : CHECKPOINT: 16356: Mon Jan 12 08:16:31 Won't be using database server on local machine - no hosting change needed.

load.c (4299) : CHECKPOINT: 16356: Mon Jan 12 08:16:31 InitSystem Check file location and move

load.c (1301) : CHECKPOINT: 16356: Mon Jan 12 08:16:31 ProcessNoCompanyMsg: DestroySplash() -CALL

load.c (1303) : CHECKPOINT: 16356: Mon Jan 12 08:16:31 ProcessNoCompanyMsg: DestroySplash() -RETURN

load.c (4405) : CHECKPOINT: 16356: Mon Jan 12 08:16:31 InitSystem Open DB Session[4]

formwin.c (2836) : CHECKPOINT: 16356: Mon Jan 12 08:16:31 Creating form: formID=15920, itID=0

KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:16:31 IsFeatureEnabledInIni: Value read from ini file from PRODUCTION_DEFECTS_PROSERIES_PPR :: Enabled is -1

tasktracking.cpp (776) : CHECKPOINT: 16356: Mon Jan 12 08:16:31 Cumulus:'FILE_NOT_OPEN' Form (QuickBooks Desktop Login) Form

RegistryTag.cpp (794) : CHECKPOINT: 16356: Mon Jan 12 08:16:31 Setting the User Agent for IE embedded browser is successful : value == Mozilla/5.0 (Windows NT 10.0; Win64; x64; Trident/7.0; rv:11.0;QuickBooks/34.0/R18/BELWHOLESALE) like Gecko

tasktracking.cpp (776) : CHECKPOINT: 16356: Mon Jan 12 08:39:16 Cumulus:'FILE_NOT_OPEN' Push Button (QuickBooks Desktop Login) OK

KillSwitchHelper.cpp (161) : CHECKPOINT: 16356: Mon Jan 12 08:39:16
IsFeatureEnabledInDCE: Value read from DCE file from AES256 ::
LogVerboseSuccess is 0
filepath.cpp (148) : MESSAGE: 16356: Mon Jan 12 08:39:16 LVL_ERROR--Got
unexpected error 5 in call to NetShareGetInfo for path
\\warehouse\Quickbooks\Filter Factory 2017\Filter Factory.QBW
dbmanager.cpp (5183) : CHECKPOINT: 16356: Mon Jan 12 08:39:16
DBServerVersionNeeded:17.0.4.2182, MinEBFServerBuildNeeded:2182,
CurrentDBServerVersion:17.0.4.2182
filemgr.cpp (431) : CHECKPOINT: 16356: Mon Jan 12 08:39:16 Company file
\\warehouse\Quickbooks\Filter Factory 2017\Filter Factory.QBW is open
using database server:QB_WAREHOUSE_34.
KillSwitchHelper.cpp (161) : CHECKPOINT: 16356: Mon Jan 12 08:39:16
IsFeatureEnabledInDCE: Value read from DCE file from AES256 ::
LogVerboseSuccess is 0
load.c (4418) : CHECKPOINT: 16356: Mon Jan 12 08:39:16 InitSystem Open
DB Session[4] Succeeded
load.c (1301) : CHECKPOINT: 16356: Mon Jan 12 08:39:16
ProcessNoCompanyMsg: DestroySplash() -CALL
load.c (1303) : CHECKPOINT: 16356: Mon Jan 12 08:39:16
ProcessNoCompanyMsg: DestroySplash() -RETURN
load.c (4525) : CHECKPOINT: 16356: Mon Jan 12 08:39:16 CFU: Begin of
company file update 2026-01-12.08:39:16
qbprint.c (3360) : CHECKPOINT: 16356: Mon Jan 12 08:39:17 Detecting if
Terminal Service is running.
load.c (5656) : CHECKPOINT: 16356: Mon Jan 12 08:39:17 CFU: Begin of
Update and Rebuild 2026-01-12.08:39:17
custdict.c (864) : CHECKPOINT: 16356: Mon Jan 12 08:39:17 Custom Fields
Batch Load Succeeded! Total Count: 9

KillSwitchHelper.cpp (161) : CHECKPOINT: 16356: Mon Jan 12 08:39:18
IsFeatureEnabledInDCE: Value read from DCE file from AES256 ::
LogVerboseSuccess is 0
prefuser.c (36862) : CHECKPOINT: 16356: Mon Jan 12 08:39:18 AES256 :
DecryptSensitiveDataNoValidate() : Decrypted using AESGCM
prefuser.c (36862) : CHECKPOINT: 16356: Mon Jan 12 08:39:18 AES256 :
DecryptSensitiveDataNoValidate() : Decrypted using AESGCM
prefuser.c (36862) : CHECKPOINT: 16356: Mon Jan 12 08:39:18 AES256 :
DecryptSensitiveDataNoValidate() : Decrypted using AESGCM
KillSwitchHelper.cpp (161) : CHECKPOINT: 16356: Mon Jan 12 08:39:18
IsFeatureEnabledInDCE: Value read from DCE file from AES256 ::
LogVerboseSuccess is 0
prefuser.c (36862) : CHECKPOINT: 16356: Mon Jan 12 08:39:18 AES256 :
DecryptSensitiveDataNoValidate() : Decrypted using AESGCM
prefuser.c (36862) : CHECKPOINT: 16356: Mon Jan 12 08:39:18 AES256 :
DecryptSensitiveDataNoValidate() : Decrypted using AESGCM
prefuser.c (36754) : CHECKPOINT: 16356: Mon Jan 12 08:39:18 AES256 :
EncryptSensitiveData() : Encrypted using AESGCM
KillSwitchHelper.cpp (161) : CHECKPOINT: 16356: Mon Jan 12 08:39:19
IsFeatureEnabledInDCE: Value read from DCE file from AES256 ::
LogVerboseSuccess is 0
prefuser.c (36862) : CHECKPOINT: 16356: Mon Jan 12 08:39:19 AES256 :
DecryptSensitiveDataNoValidate() : Decrypted using AESGCM

prefuser.c (36862) : CHECKPOINT: 16356: Mon Jan 12 08:39:19 AES256 :
DecryptSensitiveDataNoValidate() : Decrypted using AESGCM
filepath.cpp (148) : MESSAGE: 16356: Mon Jan 12 08:39:19 LVL_ERROR--Got
unexpected error 5 in call to NetShareGetInfo for path
\\warehouse\Quickbooks\Filter Factory 2017\Filter Factory.QBW
idbfilemgr.cpp (603) : CHECKPOINT: 16356: Mon Jan 12 08:39:19 MetaData
connection string :
CON=MetaDataDump\192.168.254.10mta;*****;*****;DBF
=D:\Quickbooks\Filter Factory 2017\Filter
Factory.QBW;CommLinks="tcpip(IP=192.168.254.20;TO=7;port=52588)";ServerNa
me=QB_WAREHOUSE_34;APP=192.168.254.10mta;DBN=ccf9aa731b0a4872bf7190c25ebe
7199
permissionmanager.cpp (5156) : CHECKPOINT: 16356: Mon Jan 12 08:39:20 A
new permission context is added for QuickBooks
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:20
IsFeatureEnabledInIni: Value read from ini file from Entitlement ::
ReadOnlyFeatureEnabled is -1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:20
IsFeatureEnabledInIni: Value read from ini file from Entitlement ::
ReadOnlyFeatureEnabledForRN is -1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:20
IsFeatureEnabledInIni: Value read from ini file from
SECURED_PASSWORD_FLOW :: SWITCHON is -1
prefuser.c (4236) : CHECKPOINT: 16356: Mon Jan 12 08:39:20 Secure
Password Reset Flow is enabled ? 1
KillSwitchHelper.cpp (161) : CHECKPOINT: 16356: Mon Jan 12 08:39:20
IsFeatureEnabledInDCE: Value read from DCE file from AES256 ::
LogVerboseSuccess is 0
cformatmodels.cpp (40) : CHECKPOINT: 16356: Mon Jan 12 08:39:20 Loading
models from: C:\Program Files\Intuit\QuickBooks Enterprise Solutions
24.0\CustomFieldFormats.config
load.c (6914) : CHECKPOINT: 16356: Mon Jan 12 08:39:20 CFU: Time taken
for update and rebuild is 3734 milliseconds.
load.c (6915) : CHECKPOINT: 16356: Mon Jan 12 08:39:20 CFU: End of
Update and Rebuild 2026-01-12.08:39:20
load.c (6974) : CHECKPOINT: 16356: Mon Jan 12 08:39:20 CFU: Total
Timetaken for file update is 3890 milliseconds.
load.c (6975) : CHECKPOINT: 16356: Mon Jan 12 08:39:20 CFU: End of
company file update 2026-01-12.08:39:20
prefuser.c (31429) : CHECKPOINT: 16356: Mon Jan 12 08:39:20 User has
already been migrated to PBKDF2.
load.c (7038) : CHECKPOINT: 16356: Mon Jan 12 08:39:20 Current System
version 34, Current major release 18 . Current File Schema is 146.25
load.c (7066) : CHECKPOINT: 16356: Mon Jan 12 08:39:20 QB Hosting mode
was tested but not detected. Strong password will be not enforced
ftuengine.cpp (211) : CHECKPOINT: 16356: Mon Jan 12 08:39:21 FTU DB Val
load.c (7506) : CHECKPOINT: 16356: Mon Jan 12 08:39:21 InitSystem: Open
System
load.c (7518) : CHECKPOINT: 16356: Mon Jan 12 08:39:21 InitSystem: Open
System succeeded
DLPEngine.cpp (512) : CHECKPOINT: 16356: Mon Jan 12 08:39:21
DLPEngine::DLPEngine Exiting, isDLPEngineEnabledFromINI = 1
DLPHelper.cpp (201) : CHECKPOINT: 16356: Mon Jan 12 08:39:21
DLPEngine::evaluateIfUserHasAnyDLProles called for carl

DLPHelper.cpp (228) : CHECKPOINT: 16356: Mon Jan 12 08:39:21
DLPEngine::evaluateIfUserHasAnyDLPRoles is evaluated to false for user
carl
DLPEngine.cpp (449) : CHECKPOINT: 16356: Mon Jan 12 08:39:21
DLPEngine::DLPEngine this user doesnot have any DLP roles, and DLP will
be disabled
DLPEngine.cpp (312) : CHECKPOINT: 16356: Mon Jan 12 08:39:21
DLPEngine::Exiting DLPEngine::IsDLPApplicable isApplicable = 0
DLPEventHandlers.cpp (79) : CHECKPOINT: 16356: Mon Jan 12 08:39:21
DLPEngine::isApplicable false reasoncode:8
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:21
IsFeatureEnabledInIni: Value read from ini file from BulkMigration ::
BulkMigrationDisabled is -1
KillSwitchHelper.cpp (161) : CHECKPOINT: 16356: Mon Jan 12 08:39:21
IsFeatureEnabledInDCE: Value read from DCE file from BulkMigration ::
BulkMigrationDisabled is 0
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:21
IsFeatureEnabledInIni: Value read from ini file from BulkMigration ::
BulkMigrationAdminUserCheckDisabled is -1
KillSwitchHelper.cpp (161) : CHECKPOINT: 16356: Mon Jan 12 08:39:21
IsFeatureEnabledInDCE: Value read from DCE file from BulkMigration ::
BulkMigrationAdminUserCheckDisabled is 1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:21
IsFeatureEnabledInIni: Value read from ini file from PreMigration ::
PreMigrationDisabled is -1
olbuintegration.cpp (3390) : CHECKPOINT: 16356: Mon Jan 12 08:39:21
Determining Online Backup State: OldState: -1, NewState: 9
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:21
IsFeatureEnabledInIni: Value read from ini file from CASHFLOW_HUB ::
ENABLED is -1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:22
IsFeatureEnabledInIni: Value read from ini file from PaymentRcptCustomize
:: FeatureEnabled is -1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:22
IsFeatureEnabledInIni: Value read from ini file from BillPymtStub ::
FeatureEnabled is -1
KillSwitchHelper.cpp (161) : CHECKPOINT: 16356: Mon Jan 12 08:39:23
IsFeatureEnabledInDCE: Value read from DCE file from AES256 ::
LogVerboseSuccess is 0
prefuser.c (36862) : CHECKPOINT: 16356: Mon Jan 12 08:39:23 AES256 :
DecryptSensitiveDataNoValidate() : Decrypted using AESGCM
prefuser.c (36862) : CHECKPOINT: 16356: Mon Jan 12 08:39:23 AES256 :
DecryptSensitiveDataNoValidate() : Decrypted using AESGCM
prefuser.c (36862) : CHECKPOINT: 16356: Mon Jan 12 08:39:23 AES256 :
DecryptSensitiveDataNoValidate() : Decrypted using AESGCM
load.c (8174) : CHECKPOINT: 16356: Mon Jan 12 08:39:23 FeaturesBridge
dll is loaded
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:27
IsFeatureEnabledInIni: Value read from ini file from
ChooseFromMultipleCustomerContacts :: FeatureEnabled is -1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:27
IsFeatureEnabledInIni: Value read from ini file from
EmailEnhancementUsability :: FeatureEnabled is -1

KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:27
IsFeatureEnabledInIni: Value read from ini file from
EmailEnhancementUsability :: IsDefTxnEmailEnabled is -1
KillSwitchHelper.cpp (211) : CHECKPOINT: 16356: Mon Jan 12 08:39:27
IsFeatureKeyDisabledInDCE: Value read from DCE file from
EmailEnhancementUsability :: IsDefTxnEmailEnabled is 1
KillSwitchHelper.cpp (211) : CHECKPOINT: 16356: Mon Jan 12 08:39:27
IsFeatureKeyDisabledInDCE: Value read from DCE file from
EmailEnhancementUsability :: IsDefTxnEmailEnabled is 1
prefintappdata.c (4040) : CHECKPOINT: 16356: Mon Jan 12 08:39:28 AES256
: DecryptByteArray() : Decrypted using AESGCM
prefintappdata.c (4040) : CHECKPOINT: 16356: Mon Jan 12 08:39:28 AES256
: DecryptByteArray() : Decrypted using AESGCM
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInIni: Value read from ini file from MELIOBILLPAY ::
ENABLED is -1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInIni: Value read from ini file from MELIOBILLPAY ::
BILLSYNCENABLED is -1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInIni: Value read from ini file from InvoiceProfitability
:: Enabled is -1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInIni: Value read from ini file from PreMigration ::
AttachmentMigrationDisable is -1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInIni: Value read from ini file from SNAP_AND_STORE ::
ENABLED is -1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInIni: Value read from ini file from UPLOAD_BILLS ::
ENABLED is -1
Approvals.cpp (174) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
Approvals::Exiting Approvals::IsApprovalApplicable isApplicable = 0
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInIni: Value read from ini file from Plus2EntMigration ::
IsEnabled is -1
KillSwitchHelper.cpp (211) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureKeyDisabledInDCE: Value read from DCE file from
Plus2EntMigration :: IsEnabled is 1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInIni: Value read from ini file from Plus2EntMigration ::
HideSubMenu is -1
KillSwitchHelper.cpp (211) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureKeyDisabledInDCE: Value read from DCE file from
Plus2EntMigration :: HideSubMenu is 0
main2.c (8895) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
MENU_NOTIFY_ADDMENUS - Checking for SYSCO Menu
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInIni: Value read from ini file from SYSCOConfig ::
SyscoEnabled is -1
KillSwitchHelper.cpp (161) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInDCE: Value read from DCE file from SYSCOConfig ::
SyscoEnabled is 1

```
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInIni: Value read from ini file from SYSCOConfig ::
SyscoMenu is -1
KillSwitchHelper.cpp (161) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInDCE: Value read from DCE file from SYSCOConfig ::
SyscoMenu is 1
main2.c (8931) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
MENU_NOTIFY_ADDMENUS - Removing Security Menu for NonAdmin
KillSwitchHelper.cpp (211) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureKeyDisabledInDCE: Value read from DCE file from R4IES ::
IsEnabled is 0
main2.c (8981) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
UI::MainFrame::NotifyFileOpenAfterOpenComplete : R4IES Menu is not shown.
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInIni: Value read from ini file from EcoBoxCefBrowser ::
FeatureEnabled is -1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInIni: Value read from ini file from PREPAYMENTS ::
PREPAYMENT_ALL is -1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInIni: Value read from ini file from PREPAYMENTS ::
PREPAYMENTDETAILBYCUST_REPORT is -1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInIni: Value read from ini file from
InventoryEnhancements :: EnableTurnoverReport is -1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInIni: Value read from ini file from Payroll ::
EnableDiamondSku is -1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:28
IsFeatureEnabledInIni: Value read from ini file from TSheets ::
EnableTSheets is -1
prefintappdata.c (4040) : CHECKPOINT: 16356: Mon Jan 12 08:39:28 AES256
: DecryptByteArray() : Decrypted using AESGCM
prefintappdata.c (4040) : CHECKPOINT: 16356: Mon Jan 12 08:39:28 AES256
: DecryptByteArray() : Decrypted using AESGCM
licenseutility.cpp (4017) : CHECKPOINT: 16356: Mon Jan 12 08:39:36
Unireg GetLicenseInfo call returned: <soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance"><soap:Body><GetLicenseInfoResponse
xmlns="http://unireg.spc.intuit.com/"><GetLicenseInfoResult>&lt;?xml
version="1.0" encoding="utf-16"?>&lt;licenseInfo>
  &lt;status>
    &lt;code>0&lt;/code>
    &lt;text>OK&lt;/text>
  &lt;/status>
  &lt;returnLicense>491224568543590&lt;/returnLicense>
  &lt;activationCount>18&lt;/activationCount>
  &lt;activationMaxCount>10012&lt;/activationMaxCount>
  &lt;customerAccountNum>Unauthorized&lt;/customerAccountNum>

&lt;customerAccountIDType>CustomerAccountNumber&lt;/customerAccountIDType
>
```

```
<purchaseUnits>12</purchaseUnits>
</licenseInfo>
</GetLicenseInfoResult></GetLicenseInfoResponse></soap:Body></soap:Envelope>
licenseutility.cpp (4029) : CHECKPOINT: 16356: Mon Jan 12 08:39:36
LicenseUtilityImp::UpdateCreditCardDataWithAuthentication : CAN number
can't be retrieved, proper email id might not be used for fetching the
information
commands.c (4745) : CHECKPOINT: 16356: Mon Jan 12 08:39:36
QBCommands.Execute 'qbw:RemoveSuperNavIcon' CALL
commands.c (4754) : CHECKPOINT: 16356: Mon Jan 12 08:39:36
QBCommands.Execute 'qbw:RemoveSuperNavIcon' DONE
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:36
IsFeatureEnabledInIni: Value read from ini file from
IsQBUpdateIconRequired :: true is -1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:36
IsFeatureEnabledInIni: Value read from ini file from NudgeConfig ::
isFtuDashboardDisabled is -1
NudgeConfig.cpp (349) : CHECKPOINT: 16356: Mon Jan 12 08:39:36
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: FTUDashboard, key2: Version
qbpersistentheader.cpp (1132) : CHECKPOINT: 16356: Mon Jan 12 08:39:37
UserLoginIcon::Hide
DiscoManager.cpp (58) : CHECKPOINT: 16356: Mon Jan 12 08:39:37
DiscoManager::GetInstance() : Disco Manager Instance Created
cformatmodels.cpp (40) : CHECKPOINT: 16356: Mon Jan 12 08:39:37 Loading
models from: C:\Program Files\Intuit\QuickBooks Enterprise Solutions
24.0\CustomFieldFormats.config
cformatmodels.cpp (40) : CHECKPOINT: 16356: Mon Jan 12 08:39:37 Loading
models from: C:\Program Files\Intuit\QuickBooks Enterprise Solutions
24.0\CustomFieldFormats.config
cformatmodels.cpp (40) : CHECKPOINT: 16356: Mon Jan 12 08:39:37 Loading
models from: C:\Program Files\Intuit\QuickBooks Enterprise Solutions
24.0\CustomFieldFormats.config
remind.c (1900) : CHECKPOINT: 16356: Mon Jan 12 08:39:37
InitForCountingReminders: 5781

qbpersistentheader.cpp (736) : CHECKPOINT: 16356: Mon Jan 12 08:39:37
CreateReminderIcon call: 5941

prefintappdata.c (4040) : CHECKPOINT: 16356: Mon Jan 12 08:39:37 AES256
: DecryptByteArray() : Decrypted using AESGCM
prefintappdata.c (4040) : CHECKPOINT: 16356: Mon Jan 12 08:39:37 AES256
: DecryptByteArray() : Decrypted using AESGCM
prefuser.c (4236) : CHECKPOINT: 16356: Mon Jan 12 08:39:37 Secure
Password Reset Flow is enabled ? 1
load.c (2755) : CHECKPOINT: 16356: Mon Jan 12 08:39:37 Current user is
not Admin so skipping AdminKeysConditioningHandler::OnNotify
WebConnectorUtil.cpp (429) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
WebConnectorUtil::StartWebConnectorAppsHealthCheck::WC3.0 Timer is
starting
WebConnectorUtil.cpp (437) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
WebConnectorUtil::StartWebConnectorAppsHealthCheck::WC3.0 Timer is
started
```

KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
IsFeatureEnabledInIni: Value read from ini file from NudgeConfig ::
isDisabled is -1
RealmCleanUp.cpp (411) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
InitateRealmCleanUpAtFileOpen is called
RealmCleanUp.cpp (188) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
OIIRealmCleanUp::preConditionCheckforRealmCleanUp Check
RealmCleanUp.cpp (859) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
TrackEventForRealmCleanUp : Entered
RealmCleanUp.cpp (366) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
InitateBackUpReTryAtFileOpen is called
RealmCleanUp.cpp (301) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
OIIRealmCleanUp::preConditionCheckforRealmBackUpReTry - Entered
RealmCleanUp.cpp (345) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
OIIRealmCleanUp::preConditionCheckforRealmBackUpReTry = false
RealmCleanUp.cpp (859) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
TrackEventForRealmCleanUp : Entered
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
IsFeatureEnabledInIni: Value read from ini file from REALMMANAGEMENT ::
PreROAAfterFileOpen is -1
load.c (8258) : CHECKPOINT: 16356: Mon Jan 12 08:39:38 InitSystem:
successful completion
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
IsFeatureEnabledInIni: Value read from ini file from DTM_CF_TRACKING ::
Enable is -1
load.c (8290) : CHECKPOINT: 16356: Mon Jan 12 08:39:38 Load:InitSystem:
13870621

ui.c (164) : CHECKPOINT: 16356: Mon Jan 12 08:39:38 Setting
[Misc]DontLoadWPFDlls=1 in qbwuser.ini
ui.c (166) : CHECKPOINT: 16356: Mon Jan 12 08:39:38 Calling
PreloadWPFDlls() in a thread
ui.c (168) : CHECKPOINT: 16356: Mon Jan 12 08:39:38 Calling
PreloadWPFDlls() in a thread successful.
ui.c (171) : CHECKPOINT: 16356: Mon Jan 12 08:39:38 Setting
[Misc]DontLoadWPFDlls=0 in qbwuser.ini
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
IsFeatureEnabledInIni: Value read from ini file from BizPlanToolFromDCE
:: IsFeatureDisabled is -1
main2.c (8639) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
MENU_NOTIFY_MENUS_INIT - Removing Windows Security for NonAdmin
prefintappdata.c (4040) : CHECKPOINT: 16356: Mon Jan 12 08:39:38 AES256
: DecryptByteArray() : Decrypted using AESGCM
prefintappdata.c (4040) : CHECKPOINT: 16356: Mon Jan 12 08:39:38 AES256
: DecryptByteArray() : Decrypted using AESGCM
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
IsFeatureEnabledInIni: Value read from ini file from Hcm :: EnabledV2 is
-1
KillSwitchHelper.cpp (211) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
IsFeatureKeyDisabledInDCE: Value read from DCE file from Hcm :: EnabledV2
is 1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
IsFeatureEnabledInIni: Value read from ini file from Hcm :: Assisted is -
1

KillSwitchHelper.cpp (211) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
IsFeatureKeyDisabledInDCE: Value read from DCE file from Hcm :: Assisted
is 1
KillSwitchHelper.cpp (211) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
IsFeatureKeyDisabledInDCE: Value read from DCE file from Hcm :: EnabledV2
is 1
KillSwitchHelper.cpp (211) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
IsFeatureKeyDisabledInDCE: Value read from DCE file from Hcm :: Assisted
is 1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
IsFeatureEnabledInIni: Value read from ini file from Guideline ::
EnabledV2 is -1
KillSwitchHelper.cpp (211) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
IsFeatureKeyDisabledInDCE: Value read from DCE file from Guideline ::
EnabledV2 is 1
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:38
IsFeatureEnabledInIni: Value read from ini file from AppShellV2 ::
IsAutomationEnabled is -1
NudgeMgr.cpp (1000) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery: EventName: AdditionalTracking Message: TrackingMessage=
Triggered WorkflowCategory=WarehouseManagement;; CoreRealm=53821260;
AuthId=123146228054914
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: WarehouseManagement, key3:
WarehouseNudge, key4: Repeating
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: WarehouseManagement, key3:
WarehouseNudge, key4: ShowHighlighter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: WarehouseManagement, key3:
WarehouseNudge, key4: BodyContent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: WarehouseManagement, key3:
WarehouseNudge, key4: HeaderComponent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: WarehouseManagement, key3:
WarehouseNudge, key4: PositiveAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: WarehouseManagement, key3:
WarehouseNudge, key4: NegativeAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: WarehouseManagement, key3:
WarehouseNudge, key4: PositiveActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: WarehouseManagement, key3:
WarehouseNudge, key4: NegativeActionCommand

NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: WarehouseManagement, key3:
WarehouseNudge, key4: MediaLink
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: WarehouseManagement, key3:
WarehouseNudge, key4: MediaCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: WarehouseManagement, key3:
WarehouseNudge, key4: ConditionalShowNextAfter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: WarehouseManagement, key3:
WarehouseNudge, key4: ConditionalMaxNudgeCount
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: WarehouseManagement, key3:
WarehouseNudge, key4: ConditionalHtml
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: WarehouseManagement, key3:
WarehouseNudge, key4: ConditionalType
NudgeMgr.cpp (1000) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery: EventName: AdditionalTracking Message: TrackingMessage=
WorkflowCategory=WarehouseManagement; NumberOfActiveNudges=1;;
CoreRealm=53821260; AuthId=123146228054914
NudgeMgr.cpp (1000) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery: EventName: AdditionalTracking Message: TrackingMessage=
NudgeName=WarehouseNudge; NudgeRuleResult=false;; CoreRealm=53821260;
AuthId=123146228054914
PermissionMapsCollection.cpp (69) : CHECKPOINT: 16356: Mon Jan 12
08:39:39 DLPEngine::InitMaps called
PermissionMapsCollection.cpp (82) : CHECKPOINT: 16356: Mon Jan 12
08:39:39 DLPEngine:: PermissionMapsCollection::InitMaps succeeded for
edlist:2
DLPEngine.cpp (47) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
DLPEngine::DLPEngine, InitMaps succeeded
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
IsFeatureEnabledInIni: Value read from ini file from
InventoryEnhancements :: GoToCategoryButton is -1
popup.c (447) : CHECKPOINT: 16356: Mon Jan 12 08:39:39 Creating
CreatePopUpList: resID=15005, itID=0
tasktracking.cpp (776) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
Cumulus:'carl' Form (Item List) Form
tasktracking.cpp (776) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
Cumulus:'carl' Menu Button (Item List) Ite&m
KillSwitchHelper.cpp (117) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
IsFeatureEnabledInIni: Value read from ini file from
InventoryEnhancements :: GoToCategoryButtonHighlighter is -1
NudgeMgr.cpp (1000) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery: EventName: AdditionalTracking Message: TrackingMessage=

Triggered WorkflowCategory=ItemListOpen;; CoreRealm=53821260;
AuthId=123146228054914
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: ItemListOpen, key3:
ItemListOpenHighlighter, key4: Repeating
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: ItemListOpen, key3:
ItemListOpenHighlighter, key4: ShowHighlighter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: ItemListOpen, key3:
ItemListOpenHighlighter, key4: BodyContent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: ItemListOpen, key3:
ItemListOpenHighlighter, key4: HeaderComponent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: ItemListOpen, key3:
ItemListOpenHighlighter, key4: PositiveAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: ItemListOpen, key3:
ItemListOpenHighlighter, key4: NegativeAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: ItemListOpen, key3:
ItemListOpenHighlighter, key4: PositiveActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: ItemListOpen, key3:
ItemListOpenHighlighter, key4: NegativeActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: ItemListOpen, key3:
ItemListOpenHighlighter, key4: MediaLink
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: ItemListOpen, key3:
ItemListOpenHighlighter, key4: MediaCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: ItemListOpen, key3:
ItemListOpenHighlighter, key4: ConditionalShowNextAfter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: ItemListOpen, key3:
ItemListOpenHighlighter, key4: ConditionalMaxNudgeCount
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: ItemListOpen, key3:
ItemListOpenHighlighter, key4: ConditionalHtml

NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: ItemListOpen, key3:
ItemListOpenHighlighter, key4: ConditionalType
NudgeMgr.cpp (1000) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery: EventName: AdditionalTracking Message: TrackingMessage=
WorkflowCategory=ItemListOpen; NumberOfActiveNudges=1;;
CoreRealm=53821260; AuthId=123146228054914
NudgeMgr.cpp (1000) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery: EventName: AdditionalTracking Message: TrackingMessage=
NudgeName=ItemListOpenHighlighter; MaxNudgeCountReached=3;;
CoreRealm=53821260; AuthId=123146228054914
tasktracking.cpp (776) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
Cumulus:'carl' Menu Button (Item List) Ite&m
NudgeMgr.cpp (1000) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery: EventName: AdditionalTracking Message: TrackingMessage=
Triggered WorkflowCategory=SearchList;; CoreRealm=53821260;
AuthId=123146228054914
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: SearchList, key3:
SearchOptNudge, key4: Repeating
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: SearchList, key3:
SearchOptNudge, key4: ShowHighlighter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: SearchList, key3:
SearchOptNudge, key4: BodyContent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: SearchList, key3:
SearchOptNudge, key4: HeaderContent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: SearchList, key3:
SearchOptNudge, key4: PositiveAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: SearchList, key3:
SearchOptNudge, key4: NegativeAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: SearchList, key3:
SearchOptNudge, key4: PositiveActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: SearchList, key3:
SearchOptNudge, key4: NegativeActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: SearchList, key3:
SearchOptNudge, key4: MediaLink

NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: SearchList, key3:
SearchOptNudge, key4: MediaCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: SearchList, key3:
SearchOptNudge, key4: ConditionalShowNextAfter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: SearchList, key3:
SearchOptNudge, key4: ConditionalMaxNudgeCount
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: SearchList, key3:
SearchOptNudge, key4: ConditionalHtml
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: SearchList, key3:
SearchOptNudge, key4: ConditionalType
NudgeMgr.cpp (1000) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery: EventName: AdditionalTracking Message: TrackingMessage=
WorkflowCategory=SearchList; NumberOfActiveNudges=1;; CoreRealm=53821260;
AuthId=123146228054914
NudgeMgr.cpp (1000) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
FeatureDiscovery: EventName: AdditionalTracking Message: TrackingMessage=
NudgeName=SearchOptNudge; MaxNudgeCountReached=1;; CoreRealm=53821260;
AuthId=123146228054914
DLPEngine.cpp (365) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
DLPEngine::Inside DLPEngine::ISDLPAppllicableForType type=1 isApplicable=0
DLPEngine.cpp (365) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
DLPEngine::Inside DLPEngine::ISDLPAppllicableForType type=2 isApplicable=0
DLPEngine.cpp (365) : CHECKPOINT: 16356: Mon Jan 12 08:39:39
DLPEngine::Inside DLPEngine::ISDLPAppllicableForType type=3 isApplicable=0
KillSwitchHelper.cpp (211) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
IsFeatureKeyDisabledInDCE: Value read from DCE file from
EmailEnhancementUsability :: IsDefTxnEmailEnabled is 1
NudgeMgr.cpp (1000) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery: EventName: AdditionalTracking Message: TrackingMessage=
Triggered WorkflowCategory=CustomerCenterOpen;; CoreRealm=53821260;
AuthId=123146228054914
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
CFHubCustomerCenterNudge, key4: Repeating
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
CFHubCustomerCenterNudge, key4: ShowHighlighter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
CFHubCustomerCenterNudge, key4: BodyContent

NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
CFHubCustomerCenterNudge, key4: HeaderComponent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
CFHubCustomerCenterNudge, key4: PositiveAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
CFHubCustomerCenterNudge, key4: NegativeAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
CFHubCustomerCenterNudge, key4: PositiveActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
CFHubCustomerCenterNudge, key4: NegativeActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
CFHubCustomerCenterNudge, key4: MediaLink
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
CFHubCustomerCenterNudge, key4: MediaCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
CFHubCustomerCenterNudge, key4: ConditionalShowNextAfter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
CFHubCustomerCenterNudge, key4: ConditionalMaxNudgeCount
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
CFHubCustomerCenterNudge, key4: ConditionalHtml
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
CFHubCustomerCenterNudge, key4: ConditionalType
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderCustomerCenterForDTM, key4: Repeating
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderCustomerCenterForDTM, key4: ShowHighlighter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge

config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDTM, key4: BodyContent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDTM, key4: HeaderContent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDTM, key4: PositiveAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDTM, key4: NegativeAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDTM, key4: PositiveActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDTM, key4: NegativeActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDTM, key4: MediaLink
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDTM, key4: MediaCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDTM, key4: ConditionalShowNextAfter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDTM, key4: ConditionalMaxNudgeCount
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDTM, key4: ConditionalHtml
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDTM, key4: ConditionalType
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderInQBOCustCenterNudgeCA, key4: Repeating
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderInQBOCustCenterNudgeCA, key4: ShowHighlighter

NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderInQBOCustCenterNudgeCA, key4: BodyContent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderInQBOCustCenterNudgeCA, key4: HeaderContent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderInQBOCustCenterNudgeCA, key4: PositiveAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderInQBOCustCenterNudgeCA, key4: NegativeAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderInQBOCustCenterNudgeCA, key4: PositiveActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderInQBOCustCenterNudgeCA, key4: NegativeActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderInQBOCustCenterNudgeCA, key4: MediaLink
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderInQBOCustCenterNudgeCA, key4: MediaCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderInQBOCustCenterNudgeCA, key4: ConditionalShowNextAfter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderInQBOCustCenterNudgeCA, key4: ConditionalMaxNudgeCount
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderInQBOCustCenterNudgeCA, key4: ConditionalHtml
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderInQBOCustCenterNudgeCA, key4: ConditionalType
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
VintagePaymentReminderInQBOCustCenterNudgeCA, key4: Repeating
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge

config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: VintagePaymentReminderInQBOCustCenterNudgeCA, key4: ShowHighlighter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: VintagePaymentReminderInQBOCustCenterNudgeCA, key4: BodyContent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: VintagePaymentReminderInQBOCustCenterNudgeCA, key4: HeaderContent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: VintagePaymentReminderInQBOCustCenterNudgeCA, key4: PositiveAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: VintagePaymentReminderInQBOCustCenterNudgeCA, key4: NegativeAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: VintagePaymentReminderInQBOCustCenterNudgeCA, key4: PositiveActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: VintagePaymentReminderInQBOCustCenterNudgeCA, key4: NegativeActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: VintagePaymentReminderInQBOCustCenterNudgeCA, key4: MediaLink
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: VintagePaymentReminderInQBOCustCenterNudgeCA, key4: MediaCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: VintagePaymentReminderInQBOCustCenterNudgeCA, key4:
ConditionalShowNextAfter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: VintagePaymentReminderInQBOCustCenterNudgeCA, key4:
ConditionalMaxNudgeCount
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: VintagePaymentReminderInQBOCustCenterNudgeCA, key4: ConditionalHtml
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: VintagePaymentReminderInQBOCustCenterNudgeCA, key4: ConditionalType
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge

config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDT, key4: Repeating
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDT, key4: ShowHighlighter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDT, key4: BodyContent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDT, key4: HeaderContent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDT, key4: PositiveAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDT, key4: NegativeAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDT, key4: PositiveActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDT, key4: NegativeActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDT, key4: MediaLink
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDT, key4: MediaCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDT, key4: ConditionalShowNextAfter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDT, key4: ConditionalMaxNudgeCount
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDT, key4: ConditionalHtml
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3: PaymentReminderCustomerCenterForDT, key4: ConditionalType

NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderCustomerCenterForDTV2, key4: Repeating
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderCustomerCenterForDTV2, key4: ShowHighlighter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderCustomerCenterForDTV2, key4: BodyContent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderCustomerCenterForDTV2, key4: HeaderContent
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderCustomerCenterForDTV2, key4: PositiveAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderCustomerCenterForDTV2, key4: NegativeAction
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderCustomerCenterForDTV2, key4: PositiveActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderCustomerCenterForDTV2, key4: NegativeActionCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderCustomerCenterForDTV2, key4: MediaLink
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderCustomerCenterForDTV2, key4: MediaCommand
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderCustomerCenterForDTV2, key4: ConditionalShowNextAfter
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderCustomerCenterForDTV2, key4: ConditionalMaxNudgeCount
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge
config value for key1: NudgeConfig, key2: CustomerCenterOpen, key3:
PaymentReminderCustomerCenterForDTV2, key4: ConditionalHtml
NudgeConfig.cpp (410) : CHECKPOINT: 16356: Mon Jan 12 08:39:40
FeatureDiscovery:NudgeConfig::GetNudgeConfigValue::Can't find nudge